

Fig. 1




Fig. 2




Fig. 3

	200	Splice	E-box-like	
HUMAN	AAGGGTGCAAGGAAAC	CTGAAATAAACAAATGT	TCTCCCTGAAGCCCTCTGCCAAC	
MOUSE	CGGAGAAGAAAGAG	CTGAG--ACAAATGTT	TATCTGTCCGCCTACCCAAC	
HUMAN	CAGACCAGCAA <u>ACTTCCAAAAT</u>	TCTGCCCGTG--TTTAGCCTTGTAAAGGGGTCTCA		
MOUSE	CGGACCAAC <u>AACTTCCAGAAGGT</u>	TCTGCAGGCCATTCCGTAGGGACATCTCG		
HUMAN	CTCCTTCAGGAAAGTGGAAAAG	--GGGATCTGATA---TTGAGGTGTGGAAAGGAAT		
MOUSE	GTGCTTCTGAGGAAGGGGACCGAGCAGGGATCCGAT	GACGACTGGAGATGTTGAAGGAAT		
		Forkhead-like		
HUMAN	<u>AAATAATCAGTCCACAAATAAAACAAACTGTCC</u>	--GGGATTCCCTAGAGGGAAAGGAGAAATC		
MOUSE	<u>AAATA-CCAGTCCACAAATAAAACAAACTGTCCC</u>	GGGGATTCCCTAGAGGGAAAGGAGCACGC		
HUMAN	CTTGAAG-----GAGATCCAAGTCGCTCCAGGTCTGCCCTGCGTCAAGGT-TGGCATAAAATT			
MOUSE				
			475	

Fig. 4

(1250)	HUMAN	TGCCATTCCAATC-CAGCGCGTTTGCTTTGAATCCATTACACCTGGCCCCATAATTAGCCC-
	MOUSE	-TACACGCTCAGTCCGTTGCTC-TGAACCCATTACAACTAGGCCAGATAATTAGAAATCTAATTATCGCTTCATCACTCATTAATAA-----GAAAAATGTCCAGGATAGAAATCTAATTATCGCTTCATCCATTAAATAATAAATCTCCAGGCT
	HUMAN	CATTGCTACTTACAAGGTCTTTGGAGAGATATTACTCTATTAAATCCATTCTATTAA
	MOUSE	CTTTCCTACTTACAAGGTCTTGGGGCAAATCTCTGCCAACTTCATCAATTGATGTTA
	HUMAN	TATTTCAAAATTGA-----TTTTTTAACAGGAAAGTGGCTATC-TTTTTGTTG
	MOUSE	TATTTCAAAACTAAACTTCTTTTATTTCACAAAGGAACAGGGTTTAATTGCTCTG
	HUMAN	GGCATGTGGCCCATTCAACAAATGTGATCATAAAATAAAATTTAAAGATAACT-
	MOUSE	GACACGTGGTCTCGTTAAACAAAATGTGATAATAAAATAAAATTTAAAGATGIAACTC
	HUMAN	-TTTTAAAAGTTCAAGTGAAGACGGAGTCGCCGGAGG-----CCGGGGCGG
	MOUSE	ATTTTTAAAAGTCCTCAAGTTAACTTGAGCTGGGGGGGAGATCTGGCTAAGAGCAT
	HUMAN	CGGGGTCTAGAGCCGACGGATTCCCTGGCTCTCGCCCCGATTGGGCCGGACTCCTCTGGGTCTAGAGCCGACGGATTCAAGGGCTCCTCGTTGATTGGCCATCCTCTCG
	MOUSE	CGCTGCCGGGTGATTGGCTCAAAGTTCGGGAGGGGGGGCTGGGGGGGGCTGAAGAAAGTAAAAA
	HUMAN	CTCGCTTTAGAGCCAGATGATTGGTCAAACCTCCTGGCTGAAACTCCTGGGGGGGGCTGAAGAAAGTAAAAA
	MOUSE	CTCGCTTTAGAGCCAGATGATTGGTCAAACCTCCTGGCTGAAACTCCTGGGGGGGGCTGAAGAAAGTAAAAA
	HUMAN	CTCGCTTCAAGAAGACTTTGAACCTTTCCCAATCCCTAAAGGAACCTGGCCTC-
	MOUSE	CTCGCTTCAAGAAGACTTTGAACCTTTCCCAATCCCTAAAGGAACCTGGCCTC-